



basketball units, in-ground basketball hoops, futsal/handball goals, tennis posts, volleyball posts, football goals, team shelters, complete

football mini pitches... etc.



# **DMU77XXX**

# Multi-use games area (MUGA):

The Multi-Use Games Area (MUGA) solutions from Decan Sports Equipment can be tailored to suit any location, maximizing the available space and budget. The solutions are prepared for giving an unique and personalized design not only through length and width of the pitch, height and colour of the fencing etc, but also through the option of incorporating shapes and letters in the aluminum side fencing through the use of laser cutting and punching machines in the production. (Alternatively personalized vinyl stickers on fenolic side fencing.) The solutions are designed to facilitate transportation and for easy assembly using only one allen key.

With guidance and backup from our engineers you will be able to create a strong, safe and durable MUGA solution with the exact characteristics for your particular location, providing an attractive and functional space for the users and suited for a variety of sports and applications.



- 100% aluminum
- 3x2m antivandal handball/football goal with incorporated basketball goal. Perforated basketball backboard of 1200x900mm with possibility of personalization through perforation and/or laser cut logo or letters. Antivandal ring at 3,05 m height without net.
- Side plates of 3mm thick aluminum plates of 1450mm x 750mm. "Punched" for higher resistance and perforated to reduce the impact from wind. The inside of the fencing which is facing the play ground area has still got an even surface. (Alternatively: Aluminum structure with 12mm thick fenolic plates of 1300mmx750mm)
- Height of side fence 950mm. 100mm from ground to lower part of the fence.
- Silent blocks on the fencing to minimize vibration and sound.
- Ground fixing of structure through expansion bolts for concrete. (No pre-installed ground anchorage necessary.)
- Entrance to the pitch at clients choice through the side of the handball/football goals or on the long side of the MUGA pitch.
- Painted at clients choice







# DDB770XX


Demountable/fixed stands: UNE EN 13200-6


Based on extensive experience and engineering skills and mixed with the possibilities and advantages our production methods are giving, Decan has developed a new demountable stand which can be used as both temporal as well as a permanent seating solution. The dimensions, shape and colour of the structure and seats are adapted to the client's needs and can be prepared for use in both outdoor as well as indoor environments.


Compared to a conventional "standard" demountable stand, the new innovative Decan stand is more durable, better adapted for storage and transportation and still more economical. The structure is designed to combine strength and flexibility. It consists of a series of freestanding modules which is entirely assembled using just one allen assembly key. The finished result is a compact and rigid unit which gives optimum safety guarantees.
















Each unit is delivered with individual load and stress simulation reports.





# DTB770XX

# Telescopic bleachers: UNE EN 13200-5

The telescopic bleachers from Decan Sports Equipment are delivered with personalized solutions ranging from basic manual systems, via electric systems and to the highly sophisticated "intelligent" solutions.

The telescopic bleacher is made of a self carrying structure. The design ensures stability, resistance and safety as well as facilitates the assembly to be carried out with maximum accuracy. The system includes an upper and lower guide rail guaranteeing maximum precision and a smooth, effortless opening and closing as well as a system ensuring that each section is extended totally parallel to the rest of the extended sections. The wheel system is designed to contribute to maximum grip at the same time as avoiding marks in the floor surface.








### **Football**

**UNE EN 748: 2004 (AC 2006)** 

A selection of the most solicited football goal models can be found below. All models have been designed in accordance with the corresponding norms and regulations. More goal model options are available on request. Decan Sports Equipment will also be pleased to custom make this product for you.





### 11 A-Side football goals

Aluminum frame  $120 \times 100$ mm oval section (also available in 120mm round section) with inner reinforcements and back slot for fixing the PP hooks. Interior measures 7.32m x 2.44m.

**DFO 77000** F11, 120x100mm frame, hooks, sockets, rear posts, box type net.

**DFO 77001** F11, 120x100mm frame, hooks, sockets, net support arcs, "standard" type net. ,Tip up net support rear base

**DFO 77002** F11 Portable, 120x100mm frame & base, hooks, net support arcs, corresp. net

**DFO 77xxx** Optional: Wheels for portable football goal

# 7 A-Side football goals

Aluminum frame 90mm round section with inner reinforcements and with back slot for fixing the PP hooks. Interior measures  $6.00 \text{ m} \times 2.00 \text{ m}$ .

**DF077200** F7, 90mm frame, hooks, sockets, net support arcs, corresponding net, Tip up net support rear base

**DFO77201** F7, 90mm frame, hooks, sockets, net support arcs, corresponding net

**DF077202** F7 Portable, 90mm frame & base, hooks, net support arcs, corresponding net

**DFO77xxx** Optional: Wheels for portable football goal **DFO77203** F7 Folding system, 90mm frame, hooks, net support arcs, corresponding net

### 5 A-Side football goals

Aluminum frame 90mm round section with inner reinforcements and back slot for fixing the PP hooks. Interior measures 5.00 m x 2.00 m.

**DFO77100** F5 w/steel base, 90mm aluminum frame, hooks, steel base, frame-to-base arcs, corresp. net

#### Beach football goals

Aluminum frame 120 x 100mm oval section with inner reinforcements and back slot for fixing the PP hooks. Interior measures 5.50m x 2.20m according to FIFA standards.

**DFO77300** Beach F, 120x100mm frame, hooks, sockets, net support arcs, corresp. net

**DFO77301** Beach F, 120x100mm frame, hooks, sockets, net support arcs, corresp. net, tip up net support rear base

**DFO77302** Beach F w/base ,120x100mm frame, hooks, steel base, net support arcs, corresp.net.

# Rugby goals

Vertical posts made of 120mm round aluminum section, with cross bar made of 100mm section. Sockets included

DRU 77000 Rugby goal 12m height

DRU 77001 Rugby goal 8m height

Rugby goal protection padding available upon request.



# Team shelters

# DFO33200 Retracting players exit tunnel

Structure in dull silver anodized aluminum. Nylon wheels, PVC cover in various available colours, measures of clients choice.

### Protection net and posts for football fields

**DF077500** Post unit made of 80 mm galvanized steel tube. Heigh 5,30 m + 0,70 m (socket).

**DFO77501** Post unit made of 100 mm galvanized steel tube. Heigh 7,50 m + 0,70 m (socket).

**DFO33150** Protection net 100mm mesh

### Selection of football accesories

**DFO33300** Unit of flexible corner flag

**DFO33301** Players defence wall with wheels and 5 dummies

**DFO33302** Players defence wall with wheels and 1 dummy

**DFO33303** Set of lineman's flag (2 units)

**DFO33304** Mini football goal


**DFO33305** Field marking trolley

**DFO33306** Scoreboard for players change

The team shelters fabricated by Decan Sports Equipment have been designed in accordance with the corresponding norms and regulations, using the latest technologies and following strictly internal and external quality standards. Aesthetics and functionality have been united in the design and development of this product. The flexibility of the construction system makes the benches user-friendly, fully configurable and adaptable for any length. The ground clearance is of more than 2m. The assembly system is based on modules and is delivered flat packed facilitating an economical transport. (The units are delivered dismantled with assembly and installation guide).

Our team shelters can be personalized to meet the need of each individual client. It can be delivered with or without kick-plates, in "antivandal" complete galvanized steel version, portable etc. Various seat models are also available. Decan Sports Equipment will be pleased to custom make this product for you

**DFO77400** 1m shelter for referees





#### **Basketball**

A selection of the most solicited basketball goal models can be found below. All models have been designed in accordance with the corresponding norms and regulations. More goal model options are available on request. Decan Sports Equipment will also be pleased to custom make this product for you.

# Indoor Basketball solutions Ceiling and wall suspended basketball goals.

There are many advantages related to the use of Decan ceiling and wall suspended basketball goals (compared to portable floor models):

- Easy access.
- Easy non-time consuming storage.
- Effortless operation and positioning by one person.
- No marks in the floor surface
- Less possibilities for damage to goal unit and floor/ doors/walls etc.
- Less possibilities for accidents causing injuries to people, etc...

### Ceiling suspended basketball goals

One of the most awaited products from Decan Sports Equipment is the innovative ceiling suspended basketball units. The groundbreaking design improves significantly the possibilities to personalize the unit and customize it to each individual sports hall. Compared to other ceiling suspended solutions available in the market, the Decan models will also be significantly lighter. Strength and flexibility is assured through the design and each unit is also delivered with individual load and stress simulation reports etc.

# Multi-tube ceiling suspended basketball goals UNE-EN 1270 TYPE 5

**DBA77200** 15 mm methacrylate backboard, solid ring, net, motorized.

**DBA77201** 15 mm methacrylate backboard, double effect dunk ring, net, motorized.

**DBA77202** 20 mm methacrylate backboard, solid ring, net, motorized.

**DBA77203** 20 mm methacrylate backboard, double effect dunk ring, net, motorized.

# Monotube ceiling suspended basketballs goals UNE-EN 1270 TYPE 5

**DBA77300** 15 mm methacrylate backboard, solid ring, net, motorized.

**DBA77301** 15 mm methacrylate backboard, double effect dunk ring, net, motorized.

**DBA77302** 20 mm methacrylate backboard, solid ring, net, motorized.

**DBA77303** 20 mm methacrylate backboard, double effect dunk ring, net, motorized.

# Sideways folding basketballs goal UNE-EN 1270 TYPE 3

**DBA77400** 15 mm methacrylate backboard, solid ring, net.

**DBA77401** 15 mm methacrylate backboard, double effect dunk ring, net.

**DBA77402** 20 mm methacrylate backboard, solid ring, net.

**DBA77403** 20 mm methacrylate backboard, double effect dunk ring, net.





### **Outdor Basketball solutions**

# Portable basketball goal - 1,65m Overhang (Mini basketball goal -1,00m Overhang)

Galvanized steel monotube structure, 80x80x3 square section. Base prepared for fitting counterweights with or without wheels. Protection padding not included.

**DBA77100** (MB = DBA77103) Portable, fibreglass backboard, solid ring, net.

**DBA77101** (MB = DBA77104) Portable, 10 mm methacrylate backboard, solid ring, net.

**DBA77102** (MB = DBA77105) Portable, 15 mm methacrylate backboard, solid ring, net.

# Fixed Basketball Goals- 1,65m Overhang (Mini basketball goal -1,00m Overhang)

Galvanized steel monotube structure,  $100 \times 100 \times 3$  square section with base prepared to anchor to the ground. Protection padding not included.

**DBA77000** (MB = DBA77050) Fixed, american type backboard, strong heavy duty ring, metallic net, anchor.

**DBA77001** (MB = DBA77051) Fixed, fibreglass backboard, strong heavy duty ring, metallic net, anchor.

**DBA77002** (MB = DBA77052) Fixed, 10 mm methacrylate backboard, strong heavy duty ring, metallic net, anchor.

**DBA77003** (MB = DBA77053) Fixed, 15 mm methacrylate backboard, strong heavy duty ring, metallic net, anchor.

**DBA77004** (MB = DBA77054) Fixed, american type backboard, solid ring, metallic net, anchor.


**DBA77005** (MB = DBA77055) Fixed, fibreglass backboard, solid ring, metallic net, anchor

**DBA77006** (MB = DBA77056) Fixed, american type backboard, solid ring, net, anchor.

**DBA77007** (MB = DBA77057) Fixed, fibreglass backboard, solid ring, net, anchor.

**DBA77008** (MB = DBA77058) Fixed, 10 mm methacrylate backboard, solid ring, net, anchor

**DBA77009** (MB = DBA77059) Fixed, 15 mm methacrylate backboard, solid ring, net, anchor





# Volleyball / Tennis / Badminton

# Volleyball EN 1271:

DVO77000 Aluminum volleyball posts. Round section.

120mm round section aluminum profile with inner reinforcements. Net height adjustment and tensioning system by means of winch with crank. Net included.

DVO33000 Galvanized iron volleyball posts. Round section.

90mm round section, painted and galvanized steel profile. Net height adjustment and tensioning system by means of winch with crank Net included.

**Volleyball post protector available upon request** Tubular volleyball post protection padding. Made of plasticized canvas with 25 kg. density foam rubber filling. Fastened with Velcro.

# Tennis / Paddle: EN 1510

DTE77000 Aluminum tennis and paddle posts Round section.

Set of posts in aluminum profile .120 mm. diameter round section with inner reinforcement. Ground sockets and net included.

DTE33000 Galvanized iron tennis and paddle posts. Round section.

Set of posts in painted and galvanized steel profile .90 mm. diameter round section. Ground sockets and net included.

### **DBD33000 Badminton posts**

Set of portable badminton posts with counterweights and wheels. Net included.





# Handball UNE EN 749: 2004 (AC 2006).

A selection of the most solicited handball goal models can be found below. All models have been designed in accordance with the corresponding norms. More goal model options are available on request. Decan Sports Equipment will also be pleased to custom make this product for you.

# Aluminum handball / futsal goals

Aluminum frame (also available with steel frame),  $80 \times 80 \text{ mm}$  square section with rounded edges, inner reinforcements and back slot for fixing of the PP hooks. Interior measures 3.00m  $\times$  2.00m.

**DHA77001** Handball goal, 80x80mm frame, hooks, fixed net support, corresp. net \*

**DHA77002** Handball goal, 80x80mm frame, hooks, folding net support, corresp. net \*

\* Ground Fixings: Various alternatives available. Also available with ground sockets.



